

OCCUPANTS FUMIGATION NOTICE AND PESTICIDE DISCLOSURE

Newport Exterminating 16661 Millikan Avenue, Irvine, CA 92606-5028 (949) 261-0700 Fax (949) 261-0708

JOB ADDRESS _____ CITY _____

Single Family Dwelling Multi Family Dwelling Other _____

Owner/Agent _____

Tel. No. () _____ Emergency No. () _____

Occupant _____ Emergency No. () _____

Tel. No. () _____ Emergency No. (949) 261-0700

Prime Contractor: **Newport Exterminating** Emergency No. (949) 261-0700

Fumigation Contractor: _____ Emergency No. _____

Target Pest(s): X Drywood Termites Beetles Other(s) _____

Fumigants proposed to be used: X Vikane™ (Active Ingredient - Sulfuryl Fluoride)

Other(s) _____

CHLOROPICRIN WILL BE USED AS WARNING AGENT WITH EITHER FUMIGANT

Dates of fumigation: _____ Date changes/Alternative date: _____

Initials _____

IMPORTANT - READ CAREFULLY

THIS BUILDING WILL BE FUMIGATED WITH LETHAL GASES ON THE DATE(S) INDICATED ABOVE. ALL PERSONS AND ANIMALS MUST VACATE THE PREMISES ON OR BEFORE ARRIVAL OF THE FUMIGATION CREW.

UNDER NO CIRCUMSTANCES CAN ANYONE ENTER THE BUILDING UNTIL THE FUMIGATION COMPANY'S NOTICE IS POSTED GIVING THE TIME AND DATE FOR SAFE RE-ENTRY.

Are you aware of any conduits, pipes, common drains, air ducts, central vacuum systems or any other construction elements that would allow the passage of a fumigant from the structure to be fumigated to any other adjacent structure?

YES NO Initials _____ If yes, reason: _____

“State law requires that you be given the following information: CAUTION-PESTICIDES ARE TOXIC CHEMICALS. Structural pest control companies are registered and regulated by the Structural Pest Control Board, and apply pesticides which are registered and approved for use by the California Department of Pesticide Regulation and the United States Environmental Protection Agency. Registration is granted when the State finds that based on existing scientific evidence there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized.”

If within 24 hours you experience symptoms of dizziness, headache, nausea, reduced awareness, slowed movement, garbled speech or difficulty in breathing, leave the structure immediately and seek medical attention by contacting your physician or Poison Control Center (800/764-7661) and notify your pest control company. The warning agent, chloropicrin, can cause symptoms of tearing, respiratory distress and vomiting. Entry into the space during fumigation can be fatal.

For further information, contact any of the following: Newport Exterminating (949/261-0700); for Health Questions - the County Health Department (see below); for Application Information - the County Agricultural Commissioner (see below) and for Regulatory Information - the Structural Pest Control Board, 800/737-8188, 2005 Evergreen St., #1500, Sacramento, CA 95815-3831.

COUNTY HEALTH DEPARTMENT	COUNTY AGRICULTURAL COMMISSIONER	POISON CONTROL CENTER	STRUCTURAL PEST CONTROL BOARD
L.A. (310) 338-3200	L.A. (626) 575-5466	Phone # (800) 222-1222	Phone # (916) 561-8700
Orange (714) 433-6000	Orange (714) 955-0100	(800) 876-4766	(800) 737-8188
Riverside (951) 955-3045	Riverside (951) 955-3000		

I hereby acknowledge receipt of a copy of this document as well as a list that includes the instructions for the necessary preparations for the fumigation procedures for leaving the structure, and the following documents.

Vikane™ Fumigation and/or Methyl Bromide Fact Sheet

We suggest that you notify nearby neighbors of the date of fumigation and to keep pets away during the fumigation. Close off any open access to the subarea to prevent pets from entering.

Owner/Agent (signature) _____ Date _____

Occupant(s) (signature) _____ Date _____

Neighbor's (signature) _____ Date _____

Address _____ Phone No. () _____

A copy of this notice MUST be signed and on the property when our crew arrives. In the event a notice is not on the property, the fumigation will be reset to another date.